

<b>DATA FIELD: TC OPT (TRANSFER OF CALL OPTIONS)</b>										<b>LEGEND:</b> C = CONDITIONAL P = PROHIBITED R = REQUIRED O = OPTIONAL N = NOT APPLICABLE (NOT EDITED)
<b>ACTIVITY TYPE (LINE LEVEL)</b>										
<b>REQTYP</b>	<b>A</b>	<b>C</b>	<b>D</b>	<b>R</b>	<b>V</b>	<b>W</b>	<b>Y</b>	<b>L</b>	<b>P0</b>	
<b>E</b>	<b>P</b>	<b>O</b>	<b>O</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>O</b>	<b>O</b>	<b>P</b>	
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>ERROR CODE — ERROR MSG: REFNUM TELNO</b></p> <p><b>TC OPT VALID ENTRIES ARE: 00, 03, 05, 21, 23, 25, 26, 31, 81</b></p> <p><b>ERROR CODE — ERROR MSG: REFNUM TELNO</b></p> <p><b>TC OPT PROHIBITED ON THIS ACT TYPE</b></p> </div> <div style="width: 45%; border-left: 1px solid black; padding-left: 10px;"> <p><b>DATA CHAR: 2N</b></p> <p><b>VALID VALUES:</b></p> <p>00, 03, 05, 21, 23, 25, 26, 31, 81</p> </div> </div>										
<b>RS-15</b>										

DATA FIELD:      TC TO-PRIMARY (TRANSFER OF CALLS TO PRIMARY)

REQTYP	ACTMITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	N	C	C	N	N	N	C	C	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

EDIT:

FATAL - CONDITIONAL

1. REQUIRED IF THE TC OPT FIELD IS 81

DATA CHAR: 10N

ERROR CODE      ERROR MSG: REFNUM      TELNO     

TC TO-PRIMARY REQUIRED IF THE TC OPT FIELD = 81

ERROR CODE      ERROR MSG: REFNUM      TELNO     

TC TO-PRIMARY MUST BE 10 NUMERICS

RS-16

DATA FIELD: TC TO-SECONDARY (TRANSFER OF CALLS TO SECONDARY)

ACTMITY TYPE (LINE LEVEL)

A	C	D	R	V	W	Y	L	P9
N	C	C	N	N	N	C	C	N

REQTYP

E

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

EDIT:

FATAL - CONDITION

1. REQUIRED IF THE TC OPT FIELD IS 81

DATA CHAR: 10N

ERROR CODE ERROR MSG: REFNUM TELNO

TC TO-SECONDARY REQUIRED IF THE TC OPT FIELD = 81

ERROR CODE ERROR MSG: REFNUM TELNO

TC TO-SECONDARY MUST BE 10 NUMERICS

RS-17

<b>DATA FIELD: TC NAME-PRIMARY (TRANSFER OF CALLS TO PRIMARY NAME)</b>									
<b>REQTYP</b>	<b>ACTIVITY TYPE (LINE LEVEL)</b>								
	<b>A</b>	<b>C</b>	<b>D</b>	<b>R</b>	<b>V</b>	<b>W</b>	<b>Y</b>	<b>L</b>	<b>P0</b>
	<b>N</b>	<b>C</b>	<b>C</b>	<b>N</b>	<b>N</b>	<b>N</b>	<b>C</b>	<b>C</b>	<b>N</b>
<b>E</b>									
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p><b>ERROR CODE</b> _____ <b>ERROR MSG: REFNUM</b> _____ <b>TELNO</b> _____</p> <p><b>TC NAME - PRIMARY REQUIRED IF THE TC OPT FIELD = 01</b></p> </div> <div style="width: 35%;"> <p><b>LEGEND:</b> C = CONDITIONAL  P = PROHIBITED  R = REQUIRED  O = OPTIONAL  N = NOT APPLICABLE (NOT EDITED)</p> <p><b>EDITS:</b>  <b>FATAL - CONDITION</b>  1. SAME AS ERROR MESSAGE</p> <p><b>DATA CHAR:</b> UP TO 35A</p> </div> </div>									
<b>RS-18</b>									

DATA FIELD: TC NAME-SECONDARY (TRANSFER OF CALLS TO SECONDARY NAME)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	N	C	C	N	N	N	C	C	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

EDITS:

FATAL - CONDITION

1. SAME AS ERROR MESSAGE

DATA CHAR: UP TO 35A

ERROR CODE \_\_\_\_\_ ERROR MSG: REFNUM \_\_\_\_\_ TELNO \_\_\_\_\_

TC NAME-SECONDARY REQUIRED IF TC OPT FIELD = 81

RS-19

DATA FIELD: \_\_\_\_ TC PER CC (TRANSFER OF CALLS PERIOD CENTURY CODE)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	N	C	C	N	N	N	C	C	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

EDIT:

FATAL - CONDITION

1. SAME AS ERROR MESSAGE

DATA CHAR: 2N

ERROR CODE \_\_\_\_ ERROR MSG: REFNUM \_\_\_\_ TELNO \_\_\_\_ TC PER-CC

REQUIRED WHEN TC PER DATE FIELD IS POPULATED

ERROR CODE \_\_\_\_ ERROR MSG: REFNUM \_\_\_\_ TELNO \_\_\_\_ TC PER-CC

MUST BE CURRENT OR FUTURE CENTURY

RS-20

DATA FIELD: TC PER - DATE (TRANSFER OF CALLS PERIOD DATE)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	N	C	C	N	N	N	C	C	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

EDIT:

FATAL - CONDITION

1. REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED

DATA CHAR: 6N

ERROR CODE \_\_\_\_\_ ERROR MSG: REFNUM \_\_\_\_\_ TELNO \_\_\_\_\_

TC PER - DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED

ERROR CODE \_\_\_\_\_ ERROR MSG: REFNUM \_\_\_\_\_ TELNO \_\_\_\_\_

TC PER - DATE MUST BE VALID DATE OF 6 NUMERICS

RS-21

DATA FIELD:        NIDR (NETWORK INTERFACE DEVICE)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	DELETE PER TCIF 7								

LEGEND: C = CONDITIONAL  
P = PROHIBITED  
R = REQUIRED  
O = OPTIONAL  
N = NOT APPLICABLE (NOT EDITED)



<b>DATA FIELD:</b>		<b>SGNL (SIGNALING)</b>								<b>LEGEND:</b> C = CONDITIONAL P = PROHIBITED R = REQUIRED O = OPTIONAL N = NOT APPLICABLE (NOT EDITED)		
		<b>ACTIMTY TYPE (LINE LEVEL)</b>										
		<b>A</b>	<b>C</b>	<b>D</b>	<b>R</b>	<b>V</b>	<b>W</b>	<b>Y</b>	<b>L</b>	<b>P9</b>		
<b>REQTYP</b>		<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>		
<b>E</b>												
<div style="display: flex; justify-content: space-between;"> <div> <b>ERROR CODE</b> _____ <b>ERROR MSG: REFNUM</b> _____ <b>TELNO</b> _____         </div> <div> <b>SGNL VALID ENTRIES ARE:</b> LS, GS, WS, IM, DD, E1, E2, E3         </div> </div>												
												<b>RS-26</b>

DATA FIELD: JK-NUM (JACK NUMBER)

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

ACTIVITY TYPE (LINE LEVEL)

REQ TYP

E

A C D R V W Y L P9

DELETE PER TCIF 7

DATA FIELD: JR (JACK REQUEST)

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

ACTIVITY TYPE (LINE LEVEL)

A

C

D

R

V

W

Y

L

P9

REQTYP

E

DELETE PER TCIF 7

RS-24

DATA FIELD: JACK-POSITION (JACK POSITION)

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

ACTIVITY TYPE (LINE LEVEL)

REQ TYP

A

C

D

R

V

W

Y

L

P9

E

DELETE PER TCIF 7

DATA FIELD: \_\_\_\_\_ JK-CODE (JACK CODE)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	DELETE PER TCIF 7								

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

RS-22

DATA FIELD:      PULSE (TYPE OF PULSING)

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL (NOT EDITED)

N = NOT APPLICABLE (NOT EDITED)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	O	O	O	O	O	O	O	O	O

DATA CHARACTERISTICS: 2 OR 4A

VALID VALUES:

DP, MF, DTMF

ERROR CODE      ERROR MSG: REFNUM      TELNO     

PULSE VALID ENTRIES MUST BE DP, MF, OR DTMF

RS-28

DATA FIELD: <b>DOP NUM (DIGITS OUTPUTSED)</b>										<b>LEGEND:</b> C = CONDITIONAL P = PROHIBITED R = REQUIRED O = OPTIONAL N = NOT APPLICABLE (NOT EDITED)
<b>ACTIVITY TYPE (LINE LEVEL)</b>										
<b>REQTYP</b>	<b>A</b>	<b>C</b>	<b>D</b>	<b>R</b>	<b>V</b>	<b>W</b>	<b>Y</b>	<b>L</b>	<b>P9</b>	
<b>E</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>O</b>	
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div> <b>ERROR CODE</b> _____ <b>ERROR MSG: REFNUM</b> _____ <b>TELNO</b> _____  <b>DOP NUM MUST = 2 NUMERICS:</b> </div> <div style="text-align: right; padding-right: 20px;"> <b>DATA CHARACTERISTICS: 2N</b> </div> </div>										
<b>RS-29</b>										

DATA FIELD: NUM ST (QUANTITY OF STATIONS REQUESTED)

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

ACTIVITY TYPE (LINE LEVEL)

REQTYP	A	C	D	R	V	W	Y	L	P0
	O	O	O	O	O	O	O	O	O

DATA CHARACTERISTICS: UP TO 4N

RS-30



**DATA FIELD:**

**REQTYP.**

**P = PROHIBITED**

**O = OPTIONAL****DATA CHARACTERISTICS: UP TO 4N**

PROPRIETARY / PRIVATE NOT FOR DISCLOSURE OUTSIDE OF BELL SOUTH

11.07 AM10/8/97

<b>DATA FIELD:</b> _____		<b>TBE (TOLL BILLING EXCEPTION)</b>									
		<b>ACTIVITY TYPE (LINE LEVEL)</b>									
		<b>A</b>	<b>C</b>	<b>D</b>	<b>R</b>	<b>V</b>	<b>W</b>	<b>Y</b>	<b>L</b>	<b>P9</b>	
<b>REQTYP</b>											
<b>E</b>		<b>O</b>	<b>O</b>	<b>P</b>	<b>P</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>P</b>	<b>P</b>	
<div style="display: flex; justify-content: space-between;"> <div> <p><b>ERROR CODE</b> _____ <b>ERROR MSG: REFNUM</b> _____ <b>TELNO</b> _____</p> <p><b>TBE VALID ENTRIES MUST BE A, B, C, R, S</b></p> <p><b>ERROR CODE</b> _____ <b>ERROR MSG: REFNUM</b> _____ <b>TELNO</b> _____</p> <p><b>TBE PROHIBITED ON THIS ACT TYPE AND REQTP</b></p> </div> <div> <p><b>LEGEND:</b> C = CONDITIONAL</p> <p>P = PROHIBITED</p> <p>R = REQUIRED</p> <p>O = OPTIONAL</p> <p>N = NOT APPLICABLE (NOT EDITED)</p> </div> </div>											
<div style="display: flex; justify-content: space-between;"> <div></div> <div> <p><b>DATA CHARACTERISTICS:</b> 1A</p> <p><b>VALID VALUES:</b></p> <p>A, B, C, R, S</p> </div> </div>											
<b>RS-32</b>											

DATA FIELD: **CFA (CONNECTING FACILITY ASSIGNMENT)**

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL (NOT EDITED)

N = NOT APPLICABLE (NOT EDITED)

**ACTIVITY TYPE (LINE LEVEL)**

REQTYP	A	C	D	R	V	W	Y	L	P9
	O	O	O	O	O	O	O	O	O

DATA CHARACTERISTICS: UP TO 42AN

(EDIT AS PER CURRENT REQUIREMENT)

ERROR CODE \_\_\_\_\_ ERROR MSG: REFNUM \_\_\_\_\_ TELNO \_\_\_\_\_

**CFA INVALID FORMAT**

**RS-33**

**DATA FIELD:**

### FA (FEATURE ACTIVITY)

**LEGEND:**

**C = CONDITIONAL**

**P = PROHIBITED**

**R = REQUIRED**

**O = OPTIONAL**

**N = NOT APPLICABLE (NOT EDITED)**

## EDITS:

**FATAL - CONDITION**

### 1. REQUIRED WHEN THE FEATURE FIELD IS POPULATED

**DATA CHARACTERISTICS: 1A**

**VALID VALUES: A, C OR D**

**ERROR CODE: \_\_\_\_\_ ERROR MSG: REFNUM \_\_\_\_\_ TELNO \_\_\_\_\_**

### FA REQUIRED WHEN THE FEATURE FIELD IS POPULATED

**ERROR CODE: \_\_\_\_\_ ERROR MSG: REFNUM \_\_\_\_\_ TELNO \_\_\_\_\_**

**FA VALID ENTRIES ARE: A, C OR D**

**RS-34**

<b>DATA FIELD:</b>	<b>FEATURE (FEATURE CODES)</b>								
	<b>ACTIVITY TYPE (LINE LEVEL)</b>								
	<b>A</b>	<b>C</b>	<b>D</b>	<b>R</b>	<b>V</b>	<b>W</b>	<b>Y</b>	<b>L</b>	<b>P9</b>
<b>REQTYP</b>									
<b>E</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>
<div style="float: right; width: 30%;"> <p><b>LEGEND:</b> C = CONDITIONAL</p> <p>P = PROHIBITED</p> <p>R = REQUIRED</p> <p>O = OPTIONAL</p> <p>N = NOT APPLICABLE (NOT EDITED)</p> </div> <div style="clear: both;"></div> <div style="margin-top: 100px;"> <p><u><b>EDITS:</b></u></p> <p><b>FATAL - CONDITION</b></p> <p><b>SAME AS ERROR MESSAGE</b></p> <p> <b>DATA CHARACTERISTICS: UP TO 6AN</b></p> </div>									
<p><b>ERROR CODE: _____ ERROR MSG: REFNUM _____ TELNO _____</b></p> <p><b>FEATURE REQUIRED WHEN THE FEATURE ACTIVITY (FA) FIELD IS POPULATED</b></p>									
<b>RS-35</b>									

DATA FIELD: **FEATURE DETAIL**

**ACTIVITY TYPE (LINE LEVEL)**

**REQTYP**

**E**

**A**

**C**

**D**

**R**

**V**

**W**

**Y**

**L**

**P9**

**O**

**O**

**O**

**O**

**O**

**O**

**O**

**O**

**O**

**LEGEND: C = CONDITIONAL**

**P = PROHIBITED**

**R = REQUIRED**

**O = OPTIONAL**

**N = NOT APPLICABLE (NOT EDITED)**

**DATA CHARACTERISTICS: UP TO 30 AN**

**RS-36**

DATA FIELD: _____		<b>LNECLSSVC (LINE LEVEL CLASS OF SERVICE)</b>								
		<b>ACTIVITY TYPE (LINE LEVEL)</b>								
		<b>A</b>	<b>C</b>	<b>D</b>	<b>R</b>	<b>V</b>	<b>W</b>	<b>Y</b>	<b>L</b>	<b>LEGEND: C = CONDITIONAL</b> <b>P = PROHIBITED</b> <b>R = REQUIRED</b> <b>O = OPTIONAL</b> <b>N = NOT APPLICABLE (NOT EDITED)</b>
<b>REQTYP</b>										
<b>E</b>		<b>R</b>	<b>O</b>	<b>O</b>	<b>O</b>	<b>R</b>	<b>O</b>	<b>O</b>	<b>O</b>	
										<b>DATA CHARACTERISTICS: 3AN OR 5AN</b>
		<b>ERROR CODE: _____ ERROR MSG: REFNUM _____ TELNO _____</b> <b>LNECLSSVC MUST = 3 OR 5 ALPHA NUMERICS</b>								<b>RS-38</b>
		<b>ERROR CODE: _____ ERROR MSG: REFNUM _____ TELNO _____</b> <b>LNECLSSVC REQUIRED ON ACT TYPE A OR V</b>								

DATA FIELD: \_\_\_\_\_ IWJK (INSIDE WIRE JACK CODE)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
E	DELETE PER TCIF 7								

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

RS-39



[illegible]

**N = NOT APPLICABLE (NOT EDITED)**

**RS-40**